

Real-Time Systems: Project Descriptions 2011

1. Administrative Information

A number of different projects are presented. The projects should be performed as team works with the size of four persons per team (in special cases it is OK with smaller project teams). Constraints on hardware, processes and supervisors require synchronization among the projects. It may in certain cases be necessary for the project teams to reserve laboratory processes and/or computers using booking lists. More information about how this will be done in practice will be provided later.

The project teams should be organized and have handed in a priority list of their desired projects by Friday **October 7**. The list should contain at least four projects in priority order. This should be done in the form of an email to **karlerik@control.lth.se** with the subject "Real-Time Project 2011". The email should contain the name and the emails of all the members of the group. On **October 11**, the projects will be assigned. We will contact you by email. Projects will be allocated to groups in a first come first serve manner.

If you are following the Predictive Control course it is possible to do a joint project with this course. In this case you must send your project group email also to the Predictive course.

If you cannot find a group to join, then just send us an email with your personal preferences and we will try find a suitable group for you.

Suggested Solutions

A detailed suggested solution (3–4 pages) for the project should be presented to your supervisor no later than Friday **October 28**. You are not allowed to start coding until your suggested solution has been approved. The suggested solution is also a natural basis for the project report.

The suggested solution should contain:

1. Program structure. What threads, communication and synchronization will be used? What are the main classes, and what are their public interfaces? Use some kind of graphical notation, e.g., UML or the graphical notation used in the Buttons exercise.
2. Operator communication. Screen layout, available commands in different modes, plotters, etc. Which parameters can be changed on-line by the user?
3. Control principles. What controller structure will be used, how should the controller be designed, what reference generation will be used, etc.
4. Project plan. Time plan. Who will do what? Describe in which order the different parts will be implemented and by whom. Define what can be done in parallel.

Project requirements

Your project will be accepted if it passes the following requirements:

- a **program** that fulfills the specifications should have been demonstrated to your project supervisor by Monday **November 28**. Each team member should be able to answer questions about the program structure, why a certain solution has been chosen, etc.
- a project **report** (in Swedish or English) should be written (using some word processing system). The suggested solution provides a good structure for the project report. A first (but complete) version of the report should be handed in to your supervisor by Monday **November 28**. You are only allowed to hand in revisions of your report three times (including the first version). Spelling errors in the report are not accepted.

The report should contain the following parts:

- A cover page with the name of the course, name of the project, the names and emails of the involved students, and the name of the supervisor.
 - An introduction that states what the problem is that has been solved.
 - A section describing the main program structure, both from a class and a real-time perspective. If possible illustrate this with some type of figure.
 - A section describing the control design aspects of the project.
 - A section describing the user interface in the project including a short HowTo description for how to start and operate the program.
 - A section containing the results. In case the project is a control-oriented project this should include plots of measurement signals, reference signal, and control signal. If the project is more of a real-time nature then this section could contain measurement results of different type.
 - A conclusion section.
- an **oral presentation** (10 minutes) should be made on the oral presentation session, Thursday **December 1**, 17.15–19.00. Prepare a few slides and show them on your own laptop or submit them to your supervisor at least one day before the presentation.
 - the project should be **demonstrated** during the project presentation lecture on Tuesday **December 6**, 10:15-12:00. By this date, the final version of your report and all code must be submitted to your supervisor.

Project suggestions

A number of different projects are proposed. The programming language used in the projects is Java, unless otherwise indicated. The character codes after the title have the following meaning:

- C** Programming in C required.
- 2** Small project. Only two–three persons.
- S** Special project. High risk factor. Only for highly motivated and/or skilled persons.

Each project is described by a brief presentation. A more detailed specification of each project will be available when the projects start.

2. Predictive Control (PC) joint projects

The following projects can be performed as joint projects with the Predictive Control course. It is not necessary that all students in a group performs the project as a joint project.

Project PC4* – Mass-Spring-Damper System

A mass-spring-damper system arranged for linear acceleration is available in our laboratory. Apply adaptive control for improved damping of oscillation modes.

Project PC5* – Control of an Inverted Pendulum

Same as Predictive Control Project 1 but implement the system in a real-time environment and try it out on the real pendulum.

Project PC6* – Control of an Inverted Pendulum

Same as Predictive Control Project 2 but implement the system in a real-time environment and try it out on the real pendulum. Approximate the continuous time controller by sampling fast and run the parameter estimator at a slower sampling rate.

Project PC7* – Adaptive Control of the See-saw Process

Try indirect adaptive control of the see-saw process.

Project PC8* – Control of the Helicopter Model with Gain Scheduling

Try gain scheduling control on the helicopter process.

Project PC9* – Adaptive Friction Compensation

Consider a controller that stabilizes an inverted pendulum. A simple model of friction leads to a piece-wise linear systems for which the standard adaptive techniques apply. Implement an adaptive friction compensator and explore its properties. This project can be expanded to a Masters thesis.

Project PC11* – Autotuning of Robust PID Controllers

The goal of the project is to implement automatic tuning on a process with time delay. The project involves use of a new Matlab program for derivation of optimal robust PID controllers, that have been developed at the department. The incorporated PID design method has several advantages to existing methods in industrial autotuners. The program has, however, so far only been used in simulations on models and the project is therefore interesting from a research point of view.

3. Algorithm-Oriented Projects

Project 1 – Event-based sampling and PID control (2)

Most control theory is based on the assumption that equidistant sampling is used. This is typically not the way manual control is performed. There, a new control

signal is only generated when necessary, e.g., when the control error has changed more than a certain limit or when the error derivative has changed more than a certain limit. Implement a PID controller that consists of two parts: one part that samples the input and performs limit checking with high frequency, and another part that, on demand, calculates a new control signal. Try the controller on some process in our lab, e.g., the servo or the double tank.

Project 2 – General state feedback controller using MATLAB Compute Engine

Develop a general state feedback controller with an observer that should work with (almost) any process in our lab. The user should be able to specify the process transfer function, the sampling interval, and the desired state feedback and observer pole placement in the user interface. The control design is then done on-line, using calls to a MATLAB Compute Engine. Try the controller on one or two processes in our lab, for instance the double tank and the DC servo.

Project 3 – Digital vs analog cascaded controllers

In the course you implement a cascaded PID controller for the ball and beam process in laboratory 1. In this project you will explore more advanced design techniques, including direct digital design of cascaded controllers and state feedback with observers. Try the new controller(s) on the ball and beam process and compare the performance to the “old” cascaded PID controller.

Project 4 – Linear vs nonlinear reference generation

In this project you should combine linear state feedback from an observer with linear or nonlinear feedforward from a reference generator (see lectures 8 and 10). A suitable target for this project is the ball and beam process. As a benchmark, you should try to move the ball from one end of the beam to the other as fast as possible without losing the ball.

Project 5 – Compensation for network delays

When closing a control loop over a communication network, a delay is introduced in the feedback loop. Depending on the network protocol the delay is more or less deterministic. The Internet gives very non-deterministic delays. Your task in this project is to investigate the possibility to dynamically compensate for the network delay in the controller. In order to get sufficiently large and stochastic delays you should use the Internet. However, to simplify things we will implement both the sensing, control calculations, and the actuation on the same computer. The delays are obtained by sending out measurement values and actuator values as Ping-messages to some suitable URL on the network. The ping message will return with the same information attached and the round-trip delay for the message can be easily measured. Try the controller on some process in our lab, for instance the ball and beam or the DC servo.

4. Process-Oriented Projects

Project 6 – “Catch and throw” ball and beam process

An older version of the ball and beam process is equipped with a ball magazine and a solenoid that automatically pushes a ball onto the beam. The process

contains three different ball sizes. The task is to write a program that pushes a ball on to the beam, catches it, weighs the ball, and depending on the size of the ball either throws it into a waste basket or into a special ball basket mounted on the process. Handling of sequences and mode changes are important in the project.

Project 7 – “Catch and throw” ball and beam process in JGrafchart (2)

The same as project 6 but you should use the Sequential Function Chart editor JGrafchart to implement the sequential parts of the control system, rather than doing it in Java. JGrafchart will communicate with a Java application where the feedback control loops are running using sockets.

Project 8 – Control of the helicopter process

Design and implement a digital controller for the helicopter process. To obtain better performance, you can use gain scheduling, where the controller parameters are changed depending on the current operating point.

Project 9 – Control of the mass-spring-damper process

Design and implement a digital controller for the mass-spring-damper process.

Project 10 – Control of the linear pendulum

Design and implement a controller for the linear pendulum process. The controller should be able to swing up the pendulum automatically.

Project 11 – Control of the Furuta pendulum

Design and implement a controller for the Furuta pendulum process. The controller should be able to swing up the pendulum automatically. (Please note: the Predictive Control projects have priority access to this process.)

Project 12 – Control of the batch tank process

The batch tank process is a tank with heating, cooling, and mixing possibilities. In this project you should simultaneously control the level and temperature in the tank.

Project 13 – Vision Feedback for the Ball and Beam Process

In this project you should use a vision sensor to measure the position of position of the ball on the beam. The vision sensor can either be camera or a Kinect sensor (essentially a 3D-camera). Instead of using the normal beam you should use a non-straight beam. For this project it is an advantage if you have taken the course in Image Analysis.

5. Real-Time Programming Projects

Project 14 – Distributed control with Java RMI

Design and implement a distributed control system where the interprocess communication is done via the Remote Method Invocation and the Java Object Serialization mechanism. Evaluate the benefits and drawbacks of this approach as compared to the exercise project and to project 15, if possible.

Project 15 – Distributed control with CORBA

Design and implement a distributed control system where the interprocess communication is implemented with the CORBA distributed object technology. Different programming languages and platforms should be used for the different parts of the distributed application. Evaluate the benefits and drawbacks of this approach as compared to the exercise project and to project 14, if possible.

Project 16 – Distributed wireless control with Bluetooth

BlueZ (<http://www.bluez.org>) is the official Linux Bluetooth protocol stack. The project aims at designing and implementing a distributed control system for one of our lab-processes in Java where the communication is performed via Bluetooth.

Project 17 – Tiny EDF-based real-time kernel (C)

TinyRealTime (<http://www.control.lth.se/home/anton/tinyrealtime>) is an event-based kernel for the ATMEL AVR Mega8 processor. The kernel implements the earliest-deadline-first (EDF) task scheduling policy and provides semaphores for task synchronization. Currently, the memory footprint of the kernel is approximately 1200 bytes (of the available 8K bytes). This project aims at improving and extending the implementation of the kernel.

Project 18 – Control using Android

Smartphones based on Android provides a nice multi-thread Java environment, sensors, e.g., accelerometers, that allow gesture-based interaction, and a touch screen. In this project the task is to implement a controller in Java on an Android phone for one of our laboratory processes. External sensors can be connected either via the ATMEL/AVR boards and a Bluetooth dongle, or via the Android IOIO board together with a USB-Bluetooth converter.

Project 19 – Operator interaction using Android (2)

In this project your task is to come up with some interesting way of using the Android as a wireless interaction device for one of our lab processes. In the project you should implement the control system, including GUI and remote operator interaction.

Project 20 – Remote Control of a Lego Segway Process using Android (2)

In this project your task is to use Android as a remote device for controlling an existing Lego Mindstorm Segway process.

come up with some interesting way of using the Android as a wireless interaction device for one of our lab processes. In the project you should implement the control system, including GUI and remote operator interaction.

Project 21 – Linux for control (2CS)

In the course we have implemented controllers in standard Java in Linux. Java is far from ideal with respect to real-time performance. In this project you will instead implement a laboratory process control system directly in Linux using C. There are several options. One is to use the POSIX pthreads library for the threads and use some graphics framework such as gtk for the GUI. Alternatively one can use Python (pygtk) for the GUI. Another possibility, with even better

real-time performance, is to implement the controllers in Xenomai, a real-time extension to Linux. This project requires prior experience of Linux programming.

6. Embedded Projects

In the embedded projects you will implement your controllers on a small ATMEL AVR Mega8 or Mega16 processor using the Linux PC for development and cross-compilation. On the Linux PC you will also run the GUI for the controller implemented in Java. The on-line communication between the host and the target machine should be based on RS-232 (serial line).

Project 22 – Embedded control of the ball & beam process (C)

Design and implement a digital control system for the ball and beam process using the ATMEL AVR processor. The controller should use state feedback from an observer and include integral action. Use fixed-point arithmetic for the control calculations.

Project 23 – Embedded control of the mass-spring-damper process (C)

Design and implement a control system for the mass-spring-damper process using the ATMEL AVR processor. The controller should use state feedback from an observer and include integral action. Use fixed-point arithmetic for the control calculations.

Project 24 – Lego Mindstorm Projects

The task is to design and implement a control scheme for a Lego Mindstorm NXT. Various sensors are available, being gyro sensor, touch sensor, light sensor, ultrasonic sensor, and accelerometer. Different programming languages are available for the NXT brick. It is, for example, possible to use Java or C.

7. Your own ideas

If you feel that you have an idea for a suitable project, it can always be discussed.