

## FRTN10 Multivariable Control, Lecture 11



Automatic Control LTH, 2017

### Course Outline

- L1-L5 Specifications, models and loop-shaping by hand
- L6-L8 Limitations on achievable performance
- L9-L11 Controller optimization: Analytic approach
  - 9. Linear-quadratic control
  - 10. Kalman filtering, LQG
  - 11. **More on LQG**
- L12-L14 Controller optimization: Numerical approach

### Lecture 11 – Outline

1. Tuning the LQG controller
2. Robustness of LQG
3. Integral action, reference values

[Glad&Ljung sections 9.1–9.4 and 5.7]

### Summary of LQG

Given white noise  $\begin{pmatrix} v_1 \\ v_2 \end{pmatrix}$  with intensity  $\begin{pmatrix} R_1 & R_{12} \\ R_{12}^T & R_2 \end{pmatrix}$  and the linear plant

$$\begin{aligned} \dot{x}(t) &= Ax(t) + Bu(t) + Nv_1(t) \\ y(t) &= Cx(t) + v_2(t) \end{aligned}$$

consider controllers of the form

$$\begin{aligned} \dot{\hat{x}}(t) &= A\hat{x}(t) + Bu(t) + K(y(t) - C\hat{x}(t)) \\ u(t) &= -L\hat{x}(t) \end{aligned}$$


The stationary variance

$$E \left( x^T Q_1 x + 2x^T Q_{12} u + u^T Q_2 u \right)$$

is minimized when

$$\begin{aligned} L &= Q_2^{-1} (SB + Q_{12})^T & K &= (PC^T + NR_{12})R_2^{-1} \\ 0 &= Q_1 + A^T S + SA - (SB + Q_{12})Q_2^{-1} (SB + Q_{12})^T \\ 0 &= NR_1 N^T + AP + PA^T - (PC^T + NR_{12})R_2^{-1} (PC^T + NR_{12})^T \end{aligned}$$

### The LQG controller



The controller transfer function (from  $-y$  to  $u$ ) is given by

$$C_{LQG}(s) = L(sI - A + BL + KC)^{-1}K$$

- ▶ Same order as the plant model

Several options in Matlab:

- ▶  $L = \text{lqr}(\dots)$ ,  $K = \text{lqe}(\dots)$ ,  $C_{LQG} = \text{reg}(P, L, K)$
- ▶  $L = \text{lqr}(\dots)$ ,  $\text{obs} = \text{kalm}(\dots)$ ,  $C_{LQG} = \text{lqgreg}(\text{obs}, L)$
- ▶  $C_{LQG} = \text{lqg}(P, Q, R)$

### Lecture 11 – Outline

1. Tuning the LQG controller
2. Robustness of LQG
3. Integral action, reference values

### How to choose the cost function

- ▶ In rare instances, a quadratic cost function follows directly from the design specifications
- ▶ In most cases, the cost function must be iteratively tuned by the designer to achieve the desired closed-loop behavior

Some possible starting points:

- ▶ Only penalize the outputs  $y = Cx$  and the inputs  $u$ ; put  $Q_1 = C^T C$ ,  $Q_2 = \rho I$ , and  $Q_{12} = 0$
- ▶ Make the diagonal elements equal to the inverse value of the square of the allowed deviation:

$$Q_1 = \begin{pmatrix} \frac{1}{(x_1^{\max})^2} & \dots & 0 \\ \vdots & \ddots & \vdots \\ 0 & & \frac{1}{(x_n^{\max})^2} \end{pmatrix}, \quad Q_2 = \begin{pmatrix} \frac{1}{(u_1^{\max})^2} & \dots & 0 \\ \vdots & \ddots & \vdots \\ 0 & & \frac{1}{(u_m^{\max})^2} \end{pmatrix}, \quad Q_{12} = 0$$


### Tuning the cost function

- ▶ To achieve higher bandwidth (more aggressive control), decrease  $Q_2$  (or, equivalently, increase  $Q_1$ )
- ▶ To increase the damping of a state  $x_j$ , add penalty on  $\dot{x}_j^2$
- ▶ To make a state  $x_j$  behave more like  $\dot{x}_j = -\alpha x_j$ , add penalty on  $(\dot{x}_j + \alpha x_j)^2$

Note that

$$\begin{aligned} \dot{x}_j^2 &= (A_j x + B_j u)^T (A_j x + B_j u) \\ &= x^T (A_j^T A_j) x + 2x^T (A_j^T B_j) u + u^T (B_j^T B_j) u \end{aligned}$$

### Example — Flexible servo




$$m_1 \frac{d^2 y_1}{dt^2} = -d_1 \frac{dy_1}{dt} - k(y_1 - y_2) + F(t)$$

$$m_2 \frac{d^2 y_2}{dt^2} = -d_2 \frac{dy_2}{dt} + k(y_1 - y_2)$$


### Open-loop response

Response to impulse input disturbance:



### First iteration


Minimize  $E(y_2^2 + u^2) = E(x^T(C_2^T C_2)x + u^2)$



Too fast, control signal too aggressive

### Second iteration


Minimize  $E(x^T(C_2^T C_2)x + 100u^2)$



Good speed, needs improved damping

### Third iteration

Minimize  $E(y_2^2 + 0.1y_2^2 + 100u^2) = E(x^T(C_2^T C_2 + 0.1(C_2 A)^T(C_2 A))x + 100u^2)$




Better damping, but more aggressive control signal

### Tuning the Kalman filter

- ▶ The real noise properties are seldomly known
- ▶ As a starting point put  $N = B$ ,  $R_1 = I$ , and  $R_2 = \rho I$
- ▶ If the controller is too sensitive to measurement noise, increase  $R_2$
- ▶ If the robustness of the closed loop degrades too much when using the Kalman filter for output feedback, decrease  $R_2$

### Noise shaping

The Kalman filter can be tuned by extending the model with filters that shape the process and measurement noise spectra:



- ▶ Dominating load disturbance frequencies are modeled via  $H_1$  – increases gain of Kalman filter (and of resulting LQG controller)
- ▶ Dominating measurement disturbance frequencies are modeled via  $H_2$  – decreases gain of Kalman filter (and of resulting LQG controller)

### Lecture 11 – Outline

1. Tuning the LQG controller
2. Robustness of LQG
3. Integral action, reference values

## Robustness of LQG controllers

### Guaranteed Margins for LQG Regulators

JOHN C. DOYLE

**Abstract**—There are none.

#### INTRODUCTION

Considerable attention has been given lately to the issue of robustness of linear-quadratic (LQ) regulators. The recent work by Safonov and Athans [1] has extended to the multivariable case the now well-known guarantee of 60° phase and 6 dB gain margin for such controllers. However, for even the single-input, single-output case there has remained the question of whether there exist any guaranteed margins for the full LQG (Kalman filter in the loop) regulator. By counterexample, this note answers that question; there are none.

[IEEE Transactions on Automatic Control, 23:4, 1978]

## Example (Doyle & Stein, 1979)

Benign minimum-phase SISO plant (no fundamental limitations):


$$A = \begin{pmatrix} -4 & -3 \\ 1 & 0 \end{pmatrix}, \quad B = \begin{pmatrix} 1 \\ 0 \end{pmatrix}, \quad N = \begin{pmatrix} -61 \\ 35 \end{pmatrix}, \quad C = \begin{pmatrix} 1 & 2 \end{pmatrix}$$

$$Q_1 = 80 \begin{pmatrix} 1 & \sqrt{35} \\ \sqrt{35} & 35 \end{pmatrix}, \quad Q_2 = 1, \quad R_1 = 1, \quad R_2 = 1$$

gives

- ▶ Control poles:  $-7 \pm 2i$
- ▶ Observer poles:  $-7.02 \pm 1.95i$

## Example (Doyle & Stein, 1979)



$$M_s = 4.8, \quad \varphi_m = 14.8^\circ$$

## Loop transfer recovery

The robustness of an LQG controller can often be improved by either


- ▶ adding a penalty proportional to  $C^T C$  to  $Q_1$
- ▶ adding a penalty proportional to  $BB^T$  to  $NR_1N^T$

Makes the loop transfer function more similar to the state feedback (LQ) loop gain

Price: Higher controller gain

## Doyle & Stein's example with LTR

$$Q_1^{new} = Q_1 + 400C^T C$$




$$M_s = 2.0, \quad \varphi_m = 30^\circ$$

## Lecture 11 – Outline

1. Tuning the LQG controller
2. Robustness of LQG
3. Integral action, reference values

## Integral action via noise shaping

Extend the plant model with a low-frequency disturbance acting on the process input:



With a small  $\epsilon$ , the Kalman filter (and hence also the resulting LQG controller) will include a near integrator

## Integral action via explicit integration

Add explicit integrators  $\dot{x}_i = r - y$  to track reference values without error.

Gives extended plant model

$$\begin{pmatrix} \dot{x} \\ \dot{x}_i \end{pmatrix} = \begin{pmatrix} A & 0 \\ -C & 0 \end{pmatrix} \begin{pmatrix} x \\ x_i \end{pmatrix} + \begin{pmatrix} B \\ 0 \end{pmatrix} u + \begin{pmatrix} 0 \\ I \end{pmatrix} r + \begin{pmatrix} N \\ 0 \end{pmatrix} v_1$$

Extended state feedback law from LQ design:


$$u = - \begin{pmatrix} L & L_i \end{pmatrix} \begin{pmatrix} x \\ x_i \end{pmatrix}$$

Including a penalty on  $x_i$  in the LQ design makes  $y \rightarrow r$  in case of a constant load disturbance or step reference change

(Matlab: `lqi`, `lqgtrack`, `lqg`)

## Linear-quadratic-integral control in Matlab

lqi computes an optimal state-feedback control law for the tracking loop shown below. For a plant SYS with state-space equations  $dx/dt = Ax + Bu$ ,  $y = Cx + Du$ , the state-feedback control is of the form  $u = -K[x; xi]$  where  $xi$  is the integrator output.



$[K, S, E] = \text{lqi}(\text{SYS}, Q, R, N)$  calculates the optimal gain matrix  $K$  given a state-space model  $\text{SYS}$  of the plant and weighting matrices  $Q, R, N$ . The control law  $u = -Kz = -K[x; xi]$  minimizes the cost function

$$J(u) = \text{Integral} \{z'Qz + u'Ru + 2z'Nu\}$$

## Reference handling without integration

Simple solution using feedforward from  $r$ :

$$u(t) = -L\hat{x}(t) + L_r r(t)$$


Assuming we want to achieve  $y = r$ , select

$$L_r = [C(BL - A)^{-1}B]^{-1}$$

to ensure static gain  $I$  from  $r$  to  $y$

A reference filter to further shape  $G_{yr}(s)$  can be added if needed

## LQG example — Control of DC-servo



Process:  $P(s) = \frac{20}{s(s+1)}$

Cost function:  $J = E(z^2 + u^2)$

White noise intensities:  $R_1 = 1, R_2 = 1, R_{12} = 0$

## LQG design

State-space model:

$$\begin{bmatrix} \dot{x}_1 \\ \dot{x}_2 \end{bmatrix} = \begin{bmatrix} 0 & 0 \\ 1 & -1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} + \begin{bmatrix} 20 \\ 0 \end{bmatrix} u + \begin{bmatrix} 20 \\ 0 \end{bmatrix} v_1$$

$$y = \begin{bmatrix} 0 & 1 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \end{bmatrix} + v_2 \quad z = x_2$$

Cost matrices:

$$Q_1 = \begin{bmatrix} 0 & 0 \\ 0 & 1 \end{bmatrix} \quad Q_2 = 1$$


Solving the Riccati equations gives the optimal controller

$$\dot{\hat{x}} = (A - BL)\hat{x} + K(y - C\hat{x}) \quad u = -L\hat{x}$$

where

$$L = [0.2702 \quad 0.7298] \quad K = \begin{bmatrix} 20.0000 \\ 5.4031 \end{bmatrix}$$

## Gang of four



Nonzero static gain in  $\frac{P}{1+PC}$  indicates poor low-freq. disturbance rejection

## Integral action

Add explicit integrator  $\dot{x}_i = r - y$  and extend the model (assuming  $r = 0$ ):

$$\begin{bmatrix} \dot{x}_1 \\ \dot{x}_2 \\ \dot{x}_i \end{bmatrix} = \begin{bmatrix} 0 & 0 & 0 \\ 1 & -1 & 0 \\ 0 & -1 & 0 \end{bmatrix} \begin{bmatrix} x_1 \\ x_2 \\ x_i \end{bmatrix} + \begin{bmatrix} 20 \\ 0 \\ 0 \end{bmatrix} u + \begin{bmatrix} 20 \\ 0 \\ 0 \end{bmatrix} v_1$$

Minimization of  $E(x_2^2 + 0.01x_i^2 + u^2)$  gives the optimal state feedback


$$u = -L_e [\hat{x} \quad x_i]$$

where

$$L_e = [0.2751 \quad 0.7569 \quad -0.1]$$

We can use the same Kalman filter as before ( $x_i$  needs not be estimated)

## Gang of four with integral action



## Matlab code for DC-servo example

```
A = [0 0; 1 -1];
B = [20; 0];
C = [0 1];
sys = ss(A,B,C,0);
Q1 = C'*C;
Q2 = 1;
N = B;
R1 = 1;
R2 = 1;

%% Design LQG controller
L = lqr(A,B,Q1,Q2) % Calculate LQ feedback gain
K = lqe(A,N,C,R1,R2) % Calculate Kalman gain
ctrl = -reg(sys,L,K); % Form LQG regulator
```

## Matlab code for DC-servo example, cont'd

```

%% Design LQG controller with integral action, version 1
Qi = 0.01;
Le = lqi(sys,blkdiag(Q1,Qi),Q2) % Calculate LQI feedback gain
sysk = ss(A,[B N],C,[0 0]); % Define system with noise
obs = kalman(sysk,R1,R2); % Calculate Kalman filter
ctrl_i1 = lqgtrack(obs,Le,'1dof') % Form LQG regulator

```

```

%% Design LQG controller with integral action, version 2
Qi = 0.01;
ctrl_i2 = lqg(sys,blkdiag(Q1,Q2),blkdiag(N*R1*N',R2),Qi,'1dof')

```

## Summary of LQG


### Advantages

- ▶ Works fine with multivariable models
- ▶ Observer structure ties to reality
- ▶ Always stabilizing
- ▶ Well developed theory, analytic solutions

### Disadvantages

- ▶ High-order controllers (same order as the extended plant model)
- ▶ Sometimes hard to choose weights
- ▶ No robustness guarantees – must always check the resulting controller!
- ▶ Quadratic criterion ( $H_2$ ) not always the most suitable design requirement

## Alternative norms for optimization



Common alternative:  $H_\infty$  optimal control:

$$\text{Minimize } \sup_{\omega} \|G_{zv}(i\omega)\|$$

Can be solved using a couple of Riccati equations, similar to the LQG problem (Matlab: `hinfsvn`)

## Lecture 11 – summary

- ▶ LQG design can produce a stabilizing controller for any controllable and observable linear MIMO plant
- ▶ Cost function and noise model must be tuned to obtain the desired closed-loop performance
- ▶ No robustness guarantees – always check the result!

Next section of the course: Optimization of controllers using numerical methods